Turbulence Mixing and the Study of Clouds, VentureFest 2012, , Building a Better Economy, June 19 2012, Said Business School, Oxford (UK)

Turbulence Mixing and the study of Clouds

D.Tordella, M.Iovieno, S.Scarsoglio,
F.De Santi, S.Di Savino

in collaboration with

Z.Warhaft (Cornell Univ.), J.Riley (U.Washington),
R.Kerr (U.Warwick)

Venturefest 2012, Oxford



William Turner, "Study of Clouds", about 1830
(Tate Gallery, London)

Motivation: Cloud entrainment

Isolated cumulous:
Entrainment throughout the cloud depth: from above, sides and at the base.
Effects of gravity vary

Stratocumulous:
Entrainment mainly from the top



Field Data



FIG. 10. Kurtosis function $K = S^{(4)}/(S^{(2)})^2$ as a function of the normalized lag r/η. The dotted lines indicate a $\pm 10\%$ range for the statistical sampling uncertainty (see text for more details).



FIG. 11. Variance $\sigma^2_{\ln(\epsilon_r)}$ as a function of the integration length r normalized with the Kolmogorov length $\eta \approx 1.8$ mm. An integral length scale of $L \approx 100$ m limits $r/\eta < L/\eta \approx 5 \times 10^4$. A logarithmic fit (dashed line) yields an intermittency exponent $\mu = 0.25$ with a standard error of 0.01.



FIG. 9. The scaling exponents $\zeta(n)'$ of the structure functions, as plotted via ESS theory in Fig. 8. Theoretical values for K41 and for K62 with an intermittency factor of $\mu = 0.25$ are shown for reference, together with data derived from wind-tunnel experiments by

All turbulence measurements in a stratocumulous are consistent with laboratory experiments

(data from Siebert at al., 2009)

PHILOFLUID

Field Data

Small Cumulous

Settling parameter vs. Stokes number



Upward diagonals:
dissipation rate [m^2/s^3]
Downward diagonals:

droplet diameters [μm]

N.B: these are averaged values

$$Sv = \frac{\nu_t}{\nu_\eta} = \frac{St}{Fr}, \quad St \approx d^2 \varepsilon^{1/2} \text{ and } Sv \approx d^2 \varepsilon^{-1/4}$$

PHILOFLUID

THE UNIVERSITY OF WARWICK

VENTUREFEST
BUILDING A BETTER ECONOMY

Laboratory experiments

Settling particle velocity enhancement/reduction in turbulence with gravity



Alesida et al, JFM 468 (2002)
Davila - Hunt, JFM 440 (2001)
Kawanasi-Shiozaki, J.Hydr.Eng. 134 (2008)
Lazaro-Lasheras, Phys.Fluids 1 (1989)
Murray JGR 75 (1970)
Nielsen, J.Sed.Petr. 35 (1993)
Tooby et al, JGR 82 (1977)
Wang - Maxey JFM 256 (1993)
...

Acceleration of inertial particles: Bodenschatz, Xu, Mordant, Ayyalasomayajula, Qureshi, ...

Clustering: Shaw, collins, Bec, Vassilicos, Hunt

Particle diameter effect



Red : g+

Blue : g_0

Black : g-

Squares: TT interface,

Circles: TN interface

Inset: particle size distribution

No gravity ⇒ small & large particles transported the same way

Shear



from Shaw, ARFM 35 (2003)

Real clouds:
sharp interfaces
and shear

Shear is important!

PHILOFLUID

What can simulations tell

http://www.polito.it/philofluid



Entrainment

Entrainment -Interface



Entrainment

Energy/velocity field:



John Constable, “Study of Clouds”, about 1820
(University of Oxford, Ashmolean museum)

PHILOFLUID

Conclusions

- gravity is very important in droplet distribution
- mixing is affected by large scales
- we are beginning to understand the mechanics of entrainment, *but* need to know more about:
  - evaporation
  - shear
  - convection
- rain making must understand droplet distribution *and* how it changes with time
- global warming ⇔ droplet size distribution (absorbtion/reflection of light)

Interdisciplinary holistic approach is necessary!